14th International Workshop on Natural Computing Tohoku University, Sendai, Japan, January 20-22, 2023.



#### INVITED LECTURE

## Exploring the Connections Between Life, Cognition, and Intelligence through an Info-Computational Approach


MODELS OF COGNITIVE INFORMATION PROCESSING BEYOND THE TURING MODEL OF COMPUTATION

#### Gordana Dodig Crnkovic

Professor

Chalmers University of Technology, Gothenburg, Sweden <u>gordana.dodig-crnkovic@chalmers.se</u> Mälardalen University, Västerås, Sweden <u>gordana.dodig-crnkovic@mdh.se</u>

## My affiliations – Chalmers University of Technology & Mälardalen University, Sweden



<sup>2</sup> 

### My background – moving from formal to natural languages

PhD in Physics, 1988 On Alpha-decay, Department of Physics, University of Zagreb

Thus we have

$$B = \sum_{J_O M_{I_O}} (-1)^{\lambda_{\nu} + \lambda_{\pi} + L_O} \delta(J_{\nu}, \lambda_{\nu}) \delta(J_{\pi}, \lambda_{\pi}) \langle L_C M_{L_O} 00 | J_C M_{J_O} \rangle$$

$$\times \sum_{L_O M_{L_O}} \langle (l_{\nu} L_{\nu}) \lambda_{\nu} (l_{\pi} L_{\pi}) \lambda_{\pi}; L_C | (l_{\nu} l_{\pi}) l_C (L_{\nu} L_{\pi}) L_C; L_C \rangle$$

$$\times \langle l m_l L_C M_{L_O} | L_C M_{L_O} \rangle \langle Y_{l_{\nu}} Y_{l_{\tau}} \rangle_{l_t} \langle Y_{L_{\nu}} Y_{L_{\tau}} \rangle_{L_O} \langle X^{S_{\nu} = 0} X^{S_{\nu} = 0} \rangle_{S_O = 0}.$$
(54)

The whole expression for A may be thereafter written as

$$A = \sum_{J_O M_{J_O}} (-1)^{\lambda_{\nu} + \lambda_{\pi} + L_O} ~ \delta \big(J_{\nu}, \lambda_{\nu}\big) ~ \delta \big(J_{\pi}, \lambda_{\pi}\big) ~ \langle L_C M_{L_O} 00 | J_C M_{J_O} \rangle$$

$$\times \sum_{L_C M_{L_C}} \langle (l_{\nu} L_{\nu}) \lambda_{\nu} (l_{\pi} L_{\pi}) \lambda_{\pi}; L_C | (l_{\nu} l_{\pi}) l_C (L_{\nu} L_{\pi}) L_C; L_C \rangle$$
(55)

 $\times \langle l_C m_{l_C} L_C M_{L_C} | L_C M_{L_C} \rangle (Y_{l_{\nu}} Y_{l_{\pi}})_{l_c} (Y_{L_{\nu}} Y_{L_{\pi}})_{L_C}$ 

$$\times (\chi^{S_{\nu}=0}\chi^{S_{\pi}=0})_{S_{G}=0} R_{n_{\nu}l_{\nu}} R_{n_{\pi}l_{\pi}} R_{N_{\nu}L_{\nu}} R_{N_{\pi}L_{\pi}}$$

After Moshinsky-Talmi transformation  $(N_{\nu}L_{\nu}; N_{\pi}L_{\pi}) \longrightarrow (n_{C}l_{C}; N_{C}L_{C})$  it reads

$$A = \sum_{J_G M J_G} (-1)^{\lambda_{\nu} + \lambda_{\pi} + L_G} \; \delta(J_{\nu}, \lambda_{\nu}) \; \delta(J_{\pi}, \lambda_{\pi}) \; \langle L_G M_{L_G} 00 | J_G M_{J_G} \rangle$$

$$\times \sum_{L_C M_{L_C}} \langle (l_{\nu} L_{\nu}) \lambda_{\nu} (l_{\pi} L_{\pi}) \lambda_{\pi}; L_C | (l_{\nu} l_{\pi}) l_C (L_{\nu} L_{\pi}) L_C; L_C \rangle$$
(e.e.

 $\times \; \langle l_C m_{l_C} L_C M_{L_C} | L_C M_{L_C} \rangle \; (Y_{l_{\nu}} Y_{l_{\pi}})_{l_c} \; R_{n_{\nu} l_{\nu}} \; R_{n_{\pi} l_{\pi}} \; (\chi^{S_{\nu}=0} \chi^{S_{\pi}=0})_{S_C=0}$ 

 $\times \sum_{n_C l_C N_C L_C} \langle n_C l_C N_C L_C; J_C | N_\nu L_\nu N_\pi L_\pi; J_C \rangle \; (Y_{l_C} Y_{L_C})_{L_C} \; R_{n_C l_C} \; R_{N_C L_C}.$ 


PhD in Computing, 2006 Computer Science, Mälardalen University

### Investigations into Information Semantics and Ethics of Computing

Gordana Dodig-Crnkovic



Current: Morphological Computing and Cognition



29

### My background

#### Teaching

#### Research

- Research Methods in Natural Sciences and Engineering
- Computing and Philosophy
- Computational Thinking and Writing Toolbox
- Formal Languages, Automata, and Theory of Computation
- Professional Ethics
- Emerging trends and Critical Topics in Interaction Design
- Human-centered design
- Research Ethics & Sustainable Development
- Transdisciplinary Research Methods

- Computing paradigms & Cognitive computing
- Computational knowledge generation
- Computational aspects of intelligence and cognition
- Theory of science/ philosophy of science;
- Philosophy of information
- Computing and philosophy and
- Ethics of emerging technologies
   (Al ethics, ethics of computing, information ethics, roboethics, ethics of autonomous cars, etc).

### TOPICS ADDRESSED

(Embodied) Information, Computation, Cognition

Ifo-computational theory of Cognition.

Info-computational Naturalism. Natural Computing

Agency-based Hierarchies of Levels of organization in living systems

# THEORY AS PRODUCT OF COGNITION

#### HUMBERTO MATURANA & FRANCISCO VARELA

'Everything said is said by an observer to an observer who could be him/herself "

(Maturana and Varela, 1980; p. 8)

Through such self-observation, we interact with our own descriptions and can describe ourselves describing ourselves in an endless recursive process.

Maturana, Humberto, and Francisco Varela (1980) Autopoiesis and Cognition: The Realization of the Living, Boston Studies in the Philosophy of Science [ Cohen, Robert S., and Marx W. Wartofsky (eds.)], Vol. 42, Dordecht: D. Reidel Publishing Co.

Information, computation, cognition.
Agency-based hierarchies of levels.
A short presentation of the framework

- Information constitutes a structure consisting of differences in one system that cause differences in another system. In other words, information is <observer> relative.
- 2. Computation is information processing (dynamics of information). It is a physical process of morphological change in the informational structure which is the physical implementation of information, as there is no information without physical implementation (Landauer).

# Information, computation, cognition. Agency-based hierarchies of levels

- 3. Both information and computation appear on a succession of levels of organization/abstraction/ resolution/granularity of matter/energy in space/time.
- 4. Of all autonomous agents (entities capable of acting on their own behalf) only living agents have the ability to actively make choices so as to increase the probability of their own continuing existence /<survival>. This ability of living agents to act autonomously on their own behalf\* is based on the use of energy and information from the environment.

<sup>\*</sup> Agency in the sense of S. Kauffman and T, Deacon

## Information, computation, cognition. Agency-based hierarchies of levels

- 5. Cognition consists of all (info-computational) processes necessary to keep a living agent's organizational integrity on all different levels of its existence. Cognition = info-computation
- 6. Cognition is equivalent to the (process of) life. \* Its complexity increases with evolution. This complexification is a result of morphological computation.
- 7. Cognition is both **embodied** and **distributed** information processing. It is a result of information processing in networks of agents.

<sup>\*</sup>The original idea about cognition in living organisms: Maturana & Varela, Stewart

## Information, computation, cognition. Agency-based hierarchies of levels

- 7. Basal cognition exists already at the level of a single cell.
- Natural and artifactual cognition can be unified into a continuum of possible cognitive architectures

Levin M (2022) Technological Approach to Mind Everywhere: An Experimentally-Grounded Framework for Understanding Diverse Bodies and Minds. Front. Syst. Neurosci. 16:768201. doi: 10.3389/fnsys.2022.768201

See also biosemiotics approaches to cell behavior:

Emmeche, Claus, and Kalevi Kull (2011) "Towards a Semiotic Biology" (2011) Imperial College Press. doi:10.1142/P771.

## Information as a fabric of reality for a cognizing agent

(cell, tissue, organ, organism, groups of organisms, ecologies)

"Information is the difference that makes a difference."\* Gregory Bateson

It is the difference in the world that makes the difference for an agent. Here the world includes agents themselves too.

"Information expresses the fact that a system is in a certain configuration that is correlated to the configuration of another system. Any physical system may contain information about another physical system." Carl Hewitt

Bateson, G. (1972). Steps to an Ecology of Mind: Collected Essays in Anthropology, Psychiatry, Evolution, and Epistemology pp. 448–466). University Of Chicago Press.

Hewitt, C. (2007). What Is Commitment? Physical, Organizational, and Social. In P. Noriega, J. Vazquez, Salceda, G. Boella, O. Boissier, & V. Dign (Eds.), Coordination, Organizations, Institutions, and Norms in Agent Systems II (pp. 293 –307). Berlin, Heidelberg: Springer Verlag.

<sup>\*</sup>Aaron Sloman has critical views on Bateson's formulation, in What did Bateson mean when he wrote "information" is "a difference that makes a difference"? <a href="https://www.cs.bham.ac.uk/research/projects/cogaff/misc/information-difference.html">https://www.cs.bham.ac.uk/research/projects/cogaff/misc/information-difference.html</a>

#### The relational definition of information

Combining classical definitions of Bateson:


"Information is a difference that makes a difference." (Bateson, 1972)

"Information expresses the fact that a system is in a certain configuration that is correlated to the configuration of another system. Any physical system may contain information about another physical system." (Hewitt, 2007),

we get:

and Hewitt:


Information is defined as the difference in one physical system that makes the difference in another physical system.





#### SCIENCE IN MAKING


"I invite readers not on a visit to an archaeological museum, but rather on an adventure in science in making"

Ilja Prigogine in The End of Certainty: Time, Chaos and New Laws of Nature, 1997









# Information structures as a fabric of reality for a cognizing agent

Informational structural realism (Floridi, Sayre) argues that information (for an agent) constitutes the fabric of reality:

Reality for a cognizing agent consists of informational structures organized on different levels of abstraction/resolution.

Floridi, L. A defence of informational structural realism. Synthese 161, 219–253 (2008). <a href="https://doi.org/10.1007/s11229-007-9163-z">https://doi.org/10.1007/s11229-007-9163-z</a>

Sayre, K.M. Cybernetics and the Philosophy of Mind; Routledge & Kegan Paul: London, 1976

#### See also:

Van Benthem and Adriaans (2008) Philosophy of Information, In: Handbook of the philosophy of science series. <a href="http://www.illc.uva.nl/HPI">http://www.illc.uva.nl/HPI</a>

Ladyman J. and Ross D., with Spurrett D. and Collier J. (2007) Every Thing Must Go: Metaphysics Naturalized, Oxford UP

### Relational approaches in physics, from "It from bit", on

"what we call reality arises in the last analysis from the posing of yes-no questions and the registering of equipment-evoked responses; in short, all things physical are information-theoretic in origin and this is a participatory universe."

John Archibald Wheeler, "Information, Physics, Quantum: The Search For Links" Proc. 3rd Int. Symp. Foundations Of Quantum Mechanics, Tokyo, 1989, pp.354-368

#### Related approaches:

Stephen Wolfram, A Project to Find the Fundamental Theory of Physics <a href="https://writings.stephenwolfram.com/2020/04/finally-we-may-have-a-path-to-the-fundamental-theory-of-physics-and-its-beautiful/">https://writings.stephenwolfram.com/2020/04/finally-we-may-have-a-path-to-the-fundamental-theory-of-physics-and-its-beautiful/</a>


Carlo Rovelli, Relational Quantum Mechanics


<a href="https://plato.stanford.edu/entries/qm-relational/">https://plato.stanford.edu/entries/qm-relational/</a>


<a href="https://www.scientificamerican.com/article/is-there-a-thing-or-a-relationship-betweenthings-at-the-bottom-of-things/">https://www.scientificamerican.com/article/is-there-a-thing-or-a-relationship-betweenthings-at-the-bottom-of-things/</a>


15


#### From information to computation and back



















#### Structure vs. process

For all living agents, information is the fabric of reality.

But: the knowledge of structures is only half a story. The other half are changes, processes – information dynamics. In classical formulation: being and becoming.

Information processing will be taken as the most general definition of computation.

This definition of computation has a profound consequence – if computation is the dynamics of informational structures of the universe, the dynamics of the universe is a network of computational processes (natural computationalism).

Gordana Dodig-Crnkovic, Dynamics of Information as Natural Computation, Information 2011, 2(3), 460-477; Selected Papers from FIS 2010 Beijing, 2011.

# Reality as an informational structure with computational dynamics: Info-computationalism

Information is defined as the difference in one physical system that makes the difference in another physical system.

This reflects the relational character of information and thus agentdependency which calls for agent-based or actor models.

As a synthesis of informational structural realism and natural computationalism, I propose info-computational structuralism that builds on two basic concepts: information (as a structure) and computation (as a dynamics of an informational structure) (Dodig-Crnkovic, 2011).

(Dodig-Crnkovic & Giovagnoli, 2013) Information and computation are two basic and inseparable elements necessary for naturalizing <cognition>. (Dodig-Crnkovic, 2009)

# The last concept from the triad: Information, Computation, Cognition

Dictionary definition (human-centric):

Cognition is the mental\* action or process of acquiring knowledge and understanding through thought, experience, and the senses.

[count noun] a perception, sensation, idea, or intuition resulting from the process of cognition.

from Latin cognitio(-), from cognoscere 'get to know'

http://www.oxforddictionaries.com/definition/english/cognition
from co- ("together") + \*gnoscere ("know, recognize, get acquainted with")
http://en.wiktionary.org/wiki/nosco#Latin

We have, following Maturana & Varela and Steward, for cognition in living systems

COGNITION = LIFE

<sup>\*</sup>Mental = relating to the mind. Mind is a set of processes on which consciousness, perception, affectivity, emotions, judgment, thinking, and will are based.

### Life as cognition. Autopoiesis as a self-reflective process

"Living systems are cognitive systems and living is a process is a process of cognition. This statement is valid for all organisms, with and without a nervous system."

Humberto Maturana, Biology of Cognition, 1970

Maturana and Varela (1980) define "autopoiesis" as follows: An autopoietic system is a system organized (defined as a unity) as a network of processes of production (transformation and destruction) of components that produces the components, such that:

- (i) through their interactions and transformations continuously they regenerate and realize the network of processes (relations) that produced them; and
- (ii) they constitute it (the system) as a concrete unity in the space in which they (the components) exist by specifying the topological domain of its realization as such a network.

### Living agents – basic levels of cognition

A living agent is an entity acting on its own behalf, with autopoietic properties, that is capable of *undergoing at least one thermodynamic work cycle*. (S. Kauffman, 2000)

This definition differs from the common belief that (living) agency requires beliefs and desires unless we ascribe some primitive form of <br/>belief> and <desire> even to very simple living agents such as bacteria. The fact is that they act on some kind of <anticipation> and according to some preferences> which might be automatic in the sense that they directly derive from the organism's morphology. Even the simplest living beings act on their own behalf.

### Living agents – basic levels of cognition

Although a detailed physical account of the agent's capacity to perform work cycles and so persist\* in the world is central for the understanding of life/cognition, as (Kauffman, 2000) and (Deacon, 2007) have argued in detail, the present argument is primarily focused on the info-computational aspects of life.

Given that there is no information without physical implementation (Landauer, 1991), computation as the dynamics of information is the execution of physical laws.

<sup>\*</sup>Contragrade processes (that require energy and do not spontaneously appear in nature) become possible by connecting with the orthograde (spontaneous) processes which provide a source of energy.

### Living agents – basic levels of cognition

Kauffman's concept of agency (also adopted by Deacon) suggests the possibility that life can be derived from physics.\* That is not the same as claiming that life can be reduced to physics which is obviously false.

However, in *deriving life from physics* one may expect that both our understanding of life as well as physics will change.

We witness the emergence of information physics (Goyal, 2012) (Chiribella, G.; D'Ariano, G.M.; Perinotti, 2012) as a possible reformulation of physics that may bring physics and life/cognition closer to each other.

See also: Ron Cottam, Willy Ranson (2017) Bridging the Gap between Life and Physics. <a href="https://link.springer.com/book/10.1007/978-3-319-74533-6">https://link.springer.com/book/10.1007/978-3-319-74533-6</a>

### It is important to notice: Computationalism is not what it used to be...

... that is, the thesis that persons are Turing machines.

Turing Machine is a model of computation equivalent to an algorithm, thus sequential symbol manipulation, and it may be used for the description of different processes in living organisms.

We need computational models for the basic characteristics of life as the ability to differentiate and synthesize information, make a choice, adapt, evolve, and learn in an unpredictable world.

That requires computational mechanisms and models which are not mechanistic and predefined as a Turing machine and that are sensitive to resources (space, time, energy).\*

<sup>\*</sup> PAC Probably Approximately Correct – Leslie Valiant

## Computationalism is not what it used to be ... that is the thesis that persons are Turing machines.

Computational approaches that are capable of modeling adaptation, evolution, and learning are found in the field of natural computation and computing nature.

Cognitive computing and cognitive robotics are attempts to construct abiotic systems exhibiting cognitive characteristics.

As cognition comes in degrees, it is meaningful to talk about the cognitive capabilities of artifacts, even though those are not meant to assure the continuation of existence ("the survival") of artificial cognitive agents, which was the evolutionary role of cognition in biotic systems.


# Turing computation: "Turing on Super-Turing and adaptivity" according to Hava Siegelmann

"Biological processes are often compared to computation and modeled on the Universal Turing Machine. While many systems or aspects of systems can be well described in this manner, Turing computation can only compute what it has been programmed for. (...)

Yet, adaptation, choice and learning are all hallmarks of living organisms. This suggests that there must be a different form of computation capable of this sort of calculation. (...)

Super-Turing model is both capable of modeling adaptive computation, and furthermore, a possible answer to the computational model searched for by Turing himself."

### Actor model of concurrent distributed computation



"In the Actor Model [Hewitt, Bishop and Steiger 1973; Hewitt 2010], computation is conceived as distributed in space, where computational devices communicate asynchronously, and the entire computation is not in any well-defined state.

(An Actor can have information about other Actors that it has received in a message about what it was like when the message was sent.) Turing's Model is a special case of the Actor Model." (Hewitt, 2012)

Hewitt's "computational devices" are conceived as computational agents – informational structures capable of acting on their own behalf.


### Actor model of concurrent distributed computation

Actors are the universal primitives of concurrent distributed digital computation. In response to a message that it receives, an Actor can make local <decisions>, create more Actors, send more messages, and designate how to respond to the next message received.

For Hewitt, Actors become Agents only when they are able to process expressions for commitments including the following: Contracts, Announcements, Beliefs, Goals, Intentions, Plans, Policies, Procedures, Requests, and Queries.

In other words, Hewitt's Agents are human-like or if we broadly interpret the above capacities, life-like Actors.

### Actor model of concurrent distributed computation



Unlike other models of computation that are based on mathematical logic, set theory, algebra, etc. the Actor model is based on physics, especially quantum physics, and relativistic physics. (Hewitt, 2006)

Summary of interactions between particles described by the Standard Model.

## Computing nature and nature-inspired computation





In 1623, Galileo in his book *The Assayer - Il Saggiatore*, claimed that the language of nature's book is mathematics and that the way to understand nature is through mathematics. Generalizing "mathematics" to "computation" we may agree with Galileo – the great book of nature is an e-book.

Peter J. Denning. 2007. Computing is a natural science. Commun. ACM 50, 7 (July 2007), 13-18. DOI=10.1145/1272516.1272529 http://doi.acm.org/10.1145/1272516.1272529

http://www.youtube.com/watch?v=JA5QoTMvsiE&feature=related Mandelbrot fractals

Natural computation includes:

Computation Inspired by nature: Evolutionary computation Neural networks Artificial immune systems Swarm intelligence

Simulation and emulation of nature: Fractal geometry
Artificial life

Computing with natural materials:

DNA computing

Quantum computing

### Model for natural computing




Fig. 1. Model for natural computing

## Models of Computation Beyond the Turing Machine


With the advent of computer networks, which are the main paradigm of computing today, the model of a computer in isolation\*, represented by a Turing Machine, has become insufficient.


The basic difference between an isolated computing box and a network of computational processes (nature itself is understood as a computational mechanism) is the interactivity of computation. The most general computational paradigm is interactive computing (Wegner, Goldin).

Prigogine, Ilya; Stengers, Isabelle (1984). Order out of Chaos: Man's new dialogue with nature. Flamingo


<sup>\*</sup>This view of a system in isolation is inherited from physics. I. Prigogine strongly emphasized the importance of the environment/context especially essential for living beings.


# Modeling information, computation, and cognition from an agent's perspective.





Fruit fly brain micrograph







Fruit fly brain neurons

Fruit fly larva


## Information, computation, cognition Agency/Interaction-based Hierarchies of Levels





Human connectome


http://outlook.wustl.edu/2013/jun/human-connectome-project



http://www.nature.com/scientificamerican/journal/v306/n6/pdf/scientificamerican0612-50.pdf The Human Brain Project

#### Deconstructing the Brain

The Human Brain Project intends to create a computer simulation of the 89 billion neurons inside our skull and the 100 trillion connections that wire those cells together. A meticulous virtual copy of the human brain would potentially enable basic research on brain cells and circuits or computer-based drug trials. The project, which is seeking €1 billion in funding from the European Union, would model each level of brain function, from chemical and electrical signaling up to the cognitive traits that underlie intelligent behaviors.



#### Molecular

A century of research, beginning with the first inspection of a brain cell under a microscope, would translate into a digital facsimile that combines component molecular parts to assemble a cell that demonstrates the essential properties of a neuron—the transmission of electrical and chemical signals.

#### Cellular

A brain-in-a-box simulation will have to capture every detail of neurons and nonneuronal glial cells, including the exact geometric shapes of the dendrites and axons that receive and send information.

#### Circuits

A model of the neural connections between different brain areas and among neighboring cells may furnish clues to the origins of complex brain diseases such as autism and schizophrenia.

#### Region


Major neural substructures the amygdala (emotions), the hippocampus (memory), the frontal lobes (executive control) can be inspected alone or as they interact with one another.

#### Whole Organ

An in silico brain might substitute for the actual organ. By removing the computer code for a "gene," the virtual system can, for instance, mimic the effects of a mutation, as scientists do today by "knocking out" a gene in mice. The tool would avoid the lengthy breeding process and could simulate a multitude of experimental conditions.



### Computing cells: self-generating systems




Complex biological systems must be modeled as self-referential, self-organizing "component-systems" (George Kampis) which are self-generating and whose behavior, though computational in a general sense, goes far beyond Turing machine model.

"a component system is a computer which, when executing its operations (software) builds a new hardware.... [W]e have a computer that re-wires itself in a hardware-software interplay: the hardware defines the software and the software defines new hardware. Then the circle starts again." Kampis (1991) p. 223

Kampis (1991) Self-Modifying Systems in Biology and Cognitive Science. A New Framework For Dynamics, Information, and Complexity, Pergamon Press


Dodig Crnkovic, G. (2011). Significance of Models of Computation from Turing Model to Natural Computation. Minds and Machines, (R. Turner and A. Eden guest eds.) Volume 21, Issue 2, p.301.

## Cognition: Agency/Interaction-based hierarchies of levels. The world as information for an agent




From: <a href="http://www.alexeikurakin.org">http://www.alexeikurakin.org</a>


http://www.tbiomed.com/content/8/1/4 scale-invariance of self-organizational dynamics of energy/matter at all levels of organizational hierarchy



Potential information
Outside reality for C-elegans

Agency/Interaction-based hierarchies of levels. The world as information for an agent





Actual Information C-elegans

Interaction interface for C-elegans Cognition

C. Elegans has 302 neurons (humans have 100 billion). The pattern of connections between neurons has been mapped out decades ago using electron microscopy, but knowledge of the connections is not sufficient to understand (or replicate) the information processor they represent, for some connections are inhibitory while others are excitatory.

# The reality for an agent – an observer-dependent reality


The reality for an agent is an informational structure with which the agent interacts. As systems capable of acting on their own behalf and making sense (use) of information, cognitive agents are of special interest with respect to <knowledge>\* generation.


This relates to the idea of participatory universe, (Wheeler, 1990) "it from bit" as well as to endophysics or "physics from within" where an observer is being within the universe, unlike the "god-eye-perspective" from the outside of the universe. (Rössler, 1998)


<sup>\*&</sup>lt;knowledge> for a very simple agent can be the ability to optimize gains and minimize risks. (Popper, 1999) p. 61 ascribes the ability to know to all living: "Obviously, in the biological and evolutionary sense in which I speak of knowledge, not only animals and men have expectations and therefore (unconscious) knowledge, but also plants; and, indeed, all organisms."

# An illustration: Agent-dependent multiscale modeling of complex chemical system

Observer-centric model – enhanced resolution where observation is made – where chemical reaction takes place







The Nobel Prize in Chemistry 2013 "for the development of multiscale models for complex chemical systems" ...

Karplus, Levitt and Warshel managed to make Newton's classical physics work side-by-side with the fundamentally different quantum physics. The strength of classical physics was that calculations were simple and could be used to model large molecules but no way to simulate chemical reactions for which chemists use quantum physics. But such calculations require enormous computing power.

Nobel Laureates in chemistry devised methods that use both classical and quantum physics.

In simulations of how a drug couples to its target protein in the body, the computer performs quantum theoretical calculations on those atoms in the target protein that interact with the drug. The rest of the large protein is simulated using less demanding classical physics.

Today the computer is just as important a tool for chemists as the test tube. Simulations are so realistic that they predict the outcome of traditional experiments.

## Levels of organization of life/cognition

The origin of <cognition> in first living agents is not well researched, as the idea still prevails that only humans possess cognition and knowledge.


However, there are different types of <cognition> and we have good reasons to ascribe simpler kinds of <cognition> to other living beings.

Bacteria collectively "collects latent information from the


environment and from other organisms, process the information, develop common knowledge, and thus learn from past experience" (Ben-Jacob, 2008; Diggle et al., 2007)

Plants can be said to possess memory (in their bodily structures) and ability to learn (adapt, change their morphology) and can be argued to possess simple forms of cognition.


## Agents/actors networks




Protein network in yeast cells



Human connectome



Human protein interaction network



Social network

## Computing nature

The basic idea of computing nature is that all processes taking place in physical world can be described as computational processes – from the world of quantum mechanics to living organisms, their societies and ecologies. Emphasis is on regularities and typical behaviors.

Even though we all have our subjective reasons why we move and how we do that, from the bird-eye-view movements of inhabitants in a city show striking regularities.

In order to understand big picture and behavior of societies, we take computational approach based on data and information.

See the work of Albert-László Barabási who studies networks on different scales:

http://www.barabasilab.com/pubs-talks.php

# Beyond Turing Machine Model, Computing Nature


The challenge to deal with computability in the real world - physical computing (natural computing) has brought a new understanding of computation.

Natural computing has different criteria for the success of a computation, "halting problem" is not a central issue, but instead the adequacy of the computational response in a network of interacting computational processes/devices.

# COMPUTATION AND ITS LIMITS

Paul Cockshott, Lewis M Mackenzie, and Gregory Michaelson, Oxford University Press, 2012

- Computation is a controversial and debated topic
- An in-depth look at the limits to computing set by the laws of nature
- Includes a historical account of computing
- Highlights the computer/physics interaction
- A cross-disciplinary investigation of the relationship between computing and physical reality. It begins by exploring the mystery of why mathematics is so effective in science and seeks to explain this in terms of the modeling of one part of physical reality by another
- The authors investigate the extent to which the laws of nature and of logic constrain what we can compute. In the process, they examine formal computability, the thermodynamics of computation, and the promise of quantum computing.



## COMPUTATION AND ITS MODELS

The generality of the Turing machine model of computation was questioned on several grounds, by:

- Peter Wegner, through interaction (adaptivity of computational system) vs. algorithm as a fix procedure
- Mark Burgin, based on more general definition of algorithm that does not need to halt
- Yuri Gurevich: limitation of TM model as representing a string-tostring computable function
- Barry Cooper: TM does not cover higher order computation
- Samson Abramsky computing is about behavior in general

- ...

# WHAT IS COMPUTATION?

Cockshott et al. Computation and its limits, Oxford University Press, 2012


Turing-Church thesis encompasses all algorithms. But:

"the key property of general-purpose computers is that they are general purpose. We can use them to deterministically model any physical system, of which they are not themselves a part, to an arbitrary degree of accuracy. Their logical limits arise when we try to get them to model a part of the world that includes themselves". Cockshott et al.

Integrating the computer and the computed seems to be the crux of the problem where computing resources are finite, distributed and fluctuating as pointed out by Rao Mikkilineni

## WHAT IS COMPUTATION?

#### TURING MACHINE MODEL AND BEYOND




https://dl.acm.org/doi/10.1145/2093548.2 093569

Turing's Titanic Machine? Embodied and Disembodied Computing at the Turing Centenary, Barry Cooper

https://www.researchgate.net/publication/ 240319088\_Ubiquity\_symposium\_'What\_is \_computation'

Ubiquity Symposium What is Computation? Computation is Process by Dennis J. Frailey



New Facets of "Algorithm" Algorithms as Molecules in Large Organisms Returning to Leibnizian Visions?

Generalizing Turing Computability Theory Theses for Computation and Recursion on Concrete and Abstract Structures

Generalizing Computability Theory to Abstract Algebras

Discrete Transfinite Computation

Semantics-to-Syntax Analyses of Algorithms

Incomputability Emergent, and Higher Type Computation

# COMPUTATIONAL TAXONOMIES

In order to get an idea about how complex the notion of computation is, and that it often means different things to different people, we tried to systematically study computation from different points of view.

Burgin, M. and Dodig-Crnkovic, G., A Taxonomy of Computation and Information Architecture. ECSA 2015 ASDS Workshop. In Proceedings of the 2015 European Conference on Software Architecture Workshops (ECSAW '15). ACM, New York, NY, USA. DOI=10.1145/2797433.2797440

## **EXISTENTIAL TAXONOMY OF COMPUTATION**

- 1. Physical or embodied (object-based) computations
- 2. Abstract or structural (sign-based) computations
- 3. Cognitive or Mental (interpretant-based) computations

The above constitutes layered computational architecture in cognitive agents. So, we could also call it the architectural taxonomy of computation.

## EXISTENTIAL TAXONOMY OF COMPUTATION

- 1. Physical or embodied (object-based) computations
- 1.1 Physical computations (as quantum computing)
- 1.2 Chemical computations (as in chemical morphogenesis)
- 1.3 Biological computations (information processing in a cell)
- 2. Abstract or structural (sign-based) computations
- 2.1 Subsymbolic computations data/signal processing
- 2.2 Symbolic computations data structures processing
- 2.3 Hybrid/mixed subsymbolic and symbolic computations.
- 3. Cognitive or Mental (interpretant-based) computation
- 3.1 *Individual* (computational network of the brain)
- 3.2 Group (computational networks of individuals)
- 3.3 Social (computational networks of groups)

## ORGANIZATIONAL TAXONOMY OF COMPUTATION

- Centralized computations where computation is controlled by a single algorithm.
- Distributed computations where there are separate algorithms that control computation in some neighbourhood that is represented by a node in the computational network.
- Clustered computations where there are separate algorithms that control computation in clusters of neighbourhoods.

## **TEMPORAL TAXONOMY OF COMPUTATION**

- Sequential computations, which are performed in linear time.
- Parallel or branching computations, in which separate steps (operations) are synchronized in time.
- Concurrent computations, do not demand synchronization of separate steps (computations).

## REPRESENTATIONAL TAXONOMY OF COMPUTATION

- Discrete computations, which include interval computations.
- Continuous computations, which include fuzzy continuous processes.
- *Hybrid/mixed* computations, which include discrete and continuous processes.

## **DOMAIN/DATA – BASED TAXONOMY OF COMPUTATION**

- The domain of computation is *discrete* and data are *finite*. For instance, data are words in some alphabet.
- The domain of computation is *discrete* but data are *infinite*. For instance, data are  $\omega$ -words in some alphabet. This includes interval computations because real numbers traditionally are represented as  $\omega$ -words.
- The domain of computation is continuous.

#### OPERATIONAL TAXONOMY OF COMPUTATION

- Operations in computation are discrete and they transform discrete data elements. For instance, addition or multiplication of whole numbers.
- Operations in computation are discrete but they transform (operate with) continuous sets. For instance, addition or multiplication of all real numbers or of real functions.
- Operations in computation are continuous. For instance, integration of real functions. Dynamical systems.

## PROCESS-ORIENTED TAXONOMY OF COMPUTATION

- The process of computation is *discrete*, i.e. it consists of separate steps in the *discrete* domain, and it transforms *discrete* data elements. For instance, the computation of a Turing machine or a finite automaton.
- The process of computation is *discrete*, but it employs *continuous* operations. An example is given by analogue computations.
- The process of computation is *continuous*, but it employs *discrete* operations. For instance, computation of a limit Turing machine.
- The process of computation is continuous, and it employs continuous operations. An example is given by computations in dynamic systems.

## LEVEL OF ABSTRACTION-BASED TAXONOMY

- At the top and the most abstract/general level, computation is perceived as any transformation of information and/or information representation.
- At the middle level, where computation is distinguished as a discretized process of transformation of information and/or information representation.
- At the bottom, least general level, computation is defined as a discretized process of symbolic transformation of information and/or symbolic information representation.

## SPATIAL (PHYSICAL) LEVELS OF COMPUTATIONS

- Macro-level includes computations performed by mechanical calculators as well as electromechanical devices.
- Micro-level includes computations performed by integrated circuits.
- Nano-level includes computations performed by fundamental parts that are not bigger than a few nano meters.
- Molecular level includes computations performed by molecules.
- Quantum level includes computations performed by atoms and subatomic particles.

## COMPUTATION AS INFORMATION TRANSFORMATION

We are building on our typology of models of computation as information processing (Burgin & Dodig-Crnkovic, 2013).

Future paths for the advancement of the field are expected both as a result of the development of new computational models (complex computational architectures, concurrent distributed processing) and learning from nature how to better compute using information transformation mechanisms of intrinsic computation.

As natural cognitive intelligent systems have developed abilities to deal with complexity by efficiently processing data and information, and on a higher level even knowledge (Burgin, 2005) (Burgin, Mikkilineni, Morana, 2015) we are trying to learn from nature how to compute in a more resilient and resource-effective way.

## COMPUTATION AS INFORMATION TRANSFORMATION

As natural cognitive intelligent systems have developed abilities to deal with complexity by efficiently processing data and information, and on a higher level even knowledge (Burgin, 2005) (Burgin, Mikkilineni, Morana, 2015) we are trying to learn from nature how to compute in a more resilient and resource-effective way.

If we want to further develop computational technologies to solve problems of huge data-processing and information-processing systems on a global scale and in real-time we should take into account the broader concept of computation than string-to-string mapping.

One of the approaches going into this direction is cognitive computing, which is trying to mimic human-level cognitive information processing ("Probably Approximately Correct" - Leslie Valiant).

#### COMPUTATIONAL ARCHITECTURE OF COGNITION

"(we) propose an *info-computational framework* to approach cognition in living organisms and in embodied cognitive agents of any kind:


perception acts as an *information-processing and learning device*, through dynamical processes of self-organization of the agent." [Dodig-Crnkovic, 61]

the environment affords potential information which the agent can integrate into actual information and transform into knowledge by natural (intrinsic, physical) computation;

This proceeds continuously and newly acquired structures are a "hardware" of new computation.

## COMPUTATIONAL ARCHITECTURE OF COGNITION

# Computing cells: self-generating systems



Complex biological systems must be modeled as self-referential, self-organizing "component-systems" (George Kampis) which are self-generating and whose behavior, though computational in a general sense, goes far beyond Turing machine model.

"a component system is a computer which, when executing its operations (software) builds a new hardware.... [W]e have a computer that re-wires itself in a hardware-software interplay: the hardware defines the software and the software defines new hardware. Then the circle starts again." Kampis (1991) p. 223

Kampis (1991) Self-Modifying Systems in Biology and Cognitive Science. A New Framework For Dynamics, Information, and Complexity, Pergamon Press

<sup>\*&</sup>quot;component-systems" possess physical, chemical and biological agency

#### ARCHITECTURE OF COMPUTATION IN LIVING ORGANISMS

In nature the basic info-computational layer is grounded on physico-chemical, chemo-biological and bio-cognitive levels of information processing.

The dynamics of information differs on different levels of granularity of physical processes.

Computation performed by contemporary computing machines (designed computation) is distinctly different from the complex network of networks of computational processes in living organisms (cognitive computation).

#### SOME OPEN PROBLEMS

- How to connect and contextualize diverse views of information on different levels of granularity in nature?
- How exactly is physical computation (intrinsic/natural computation) connected with abstract computation and cognitive computation?
- How is computation realized in computational systems, in machines, and in living organisms?
- What can we learn from natural computational processes in cognitive systems (from a single cell to the brain and social cognition) that can be useful for engineered information systems and knowledge management, especially when it comes to managing complex systems and big data?
- How do we get connections between different theories in the research community of philosophy of information and computation?

#### CONCLUSION

We have been exploring the connections between life, cognition, and intelligence in the framework of natural info computation. We highlighted several topics of importance for the development of a new understanding of computation: natural computation (embodied, physical computation), interactivity, concurrency, and distributedness as fundamental for the computational modeling of information processing systems such as living organisms and their networks.


New developments in modeling are needed to support this generalized framework for cognitive architectures. A better understanding of the mechanisms of natural computing has promising applications in biology, medicine, robotics, and other domains of computing.

Collaboration between different research fields is essential!

»There is a crack in everything That's how the light gets in.« Leonard Cohen, Anthem

# Contemporary Natural Philosophy and Philosophies Marcin J. Schroeder and Gorrdana Dodig-Crnkovic, Eds.

- Philosophies (2022) "Contemporary Natural Philosophy and Philosophies" - Part 3 https://www.mdpi.com/journal/philosophies/special\_issues/Philosophy\_and\_Philosophies3
- Philosophies (2020) "Contemporary Natural Philosophy and Philosophies" - Part 2 https://www.mdpi.com/journal/philosophies/special\_issues/Philosophy\_and\_Philosophies2
- Philosophies (2019) "Contemporary Natural Philosophy and Philosophies" - Part 1 https://www.mdpi.com/journal/philosophies/special\_issues/Philosophy\_and\_Philosophies



We are planning for the third volume, based on the special issue from 2022.

In the future, this special issue series will become TOPIC COLLECTION.

# More on related topics, in a coming podcast

#### Thomas Verny podcast

https://pushingboundarieswithdrthomasrverny.buzzsprout.com/

Monday, Feb 6, 16.00 ECT

- Ackerman, Evan. 2019. "Intel Labs Director Talks Quantum, Probabilistic, and Neuromorphic Computing IEEE Spectrum."
   IEEE Spectrum. 2019.
- Almér, Alexander, Gordana Dodig-Crnkovic, and Rickard von Haugwitz. 2015. "Collective Cognition and Distributed Information Processing from Bacteria to Humans." In Proc. AISB Conference Kent, April 2015.
- Anderson, M.L. Embodied cognition: A field guide. Artif. Intell. 2003, 149, 91–130. [CrossRef]
- Baluška, František, and Michael Levin. 2016. "On Having No Head: Cognition throughout Biological Systems." Frontiers in Psychology 7: 902.
- Baynojir Joyee Erina, Szmelter Adam, Eddington David, and Pan Yayue (2020) "3D Printed Biomimetic Soft Robot with Multimodal Locomotion and Multifunctionality." Soft Robotics. https://doi.org/10.1089/soro.2020.0004.
- Bondgard, Joshua, and Michael Levin. 2021. "Living Things Are Not (20th Century) Machines: Updating Mechanism Metaphors in Light of the Modern Science of Machine Behavior." Frontiers in Ecology and Evolution 9: 147.
- Clark, A. How to knit your own Markov blanket: Resisting the Second Law with metamorphic minds (2017) In Philosophy and Predictive Processing: 3; Metzinger, T., Wiese, W., Eds.; MIND Group: Frankfurt am Main, Germany.
- Di Paolo, E.; Thompson, E. (2014) The enactive approach. In The Routledge Handbook of Embodied Cognition; Shapiro, L., Ed.; Routledge: London, UK, pp. 68–78.
- Evans, J.B.T. (2008) Dual processing accounts of reasoning, judgement and social cognition. Ann. Rev. Psych. 59, 255–278.
- Damasio, Antonio R. 1999. The Feeling of What Happens: Body and Emotion in the Making of Consciousness. Harcourt Brace and Co.
- Dobzhansky, T. (1973), Nothing in Biology Makes Sense Except in the Light of Evolution, American Biology Teacher, 35 (3): 125–129

- Barry Cooper: What is Computation? http://www.idt.mdh.se/kurser/cd5560/13\_11/LECTURES/Barry-Cooper-BOSTON.pdf
- Hewitt C. et al, "Laws for Communicating Parallel Processes", IFIP 77, pp. 987-992, N-H 1977
- Hewitt, C. and Baker, H. "Actors And Continuous Functionals", MIT-LCS-TR-194, 1978 http://www.lcs.mit.edu/publications/pubs/pdf/MIT-LCS-TR-194.pdf
- Agha Gul, "Actors: A Model of Concurrent Computation in Distributed Systems", MIT AI Lab Technical Report 844. http://www.cypherpunks.to/erights/history/actors/AITR-844.pdf
- http://www.ucalgary.ca/icic/ The International Institute of Cognitive Informatics and Cognitive Computing (ICIC)
- Tutorial on Embodiment: R Pfeiferhttp://www.eucognition.org/index.php?page=theoretical-scheme
- R. Pfeifer anf J. Bongard How the Body Shapes the Way We Think (e-book)http://www.communicationcache.com/uploads/1/0/8/8/10887248/mit.press.how.the.body.shapes.the.way.we.think.a. new.view.of.intelligence.nov.2006.pdf

- Dodig-Crnkovic, Gordana. 2007. "Epistemology Naturalized: The Info-Computationalist Approach." APA Newsletter on Philosophy and Computers 06 (2): 9–13.
- ——. 2012. The Info-computational Nature of Morphological Computing, in Müller V. C. (ed.), Theory and Philosophy of Artificial Intelligence (SAPERE; Berlin: Springer), (Selected contributions from PT-AI conference @ACT) pp. 59-68.
- ——. 2012. Info-computationalism and Morphological Computing of Informational Structure, in Integral Biomathics, Simeonov, P., Smith, L. and Ehresmann, A. (Eds.). Springer Serie on Computational Intelligence and Complexity, Table of Contents, 2012. (Selected contributions from Conference on Integral Biomathics Stirling University, Scotland), pp. 97-105.
- ——. 2012. Physical Computation as Dynamics of Form that Glues Everything Together. Information, 3, 204-218; doi:10.3390/info3020204
- Dodig-Crnkovic G. (2014) Modeling Life as Cognitive Info-Computation, In: Computability in Europe 2014, Arnold Beckmann, Erzsébet Csuhaj-Varjú and Klaus Meer (Eds.) Proceedings of the 10th Computability in Europe 2014, Language, Life, Limits, Budapest, Hungary, June 23 - 27, 2014, LNCS, Springer
- ——. 2016. Information, Computation, Cognition. Agency-Based Hierarchies of Levels. FUNDAMENTAL ISSUES OF ARTIFICIAL INTELLIGENCE, Müller V. C. (ed.), Synthese Library 377, pp 139-159. Springer International Publishing Switzerland, DOI 10.1007/978-3-319-26485-1\_10
- ——. 2017. "Nature as a Network of Morphological Infocomputational Processes for Cognitive Agents." Eur. Phys. J. 226: 181–95. https://doi.org/10.1140/epjst/e2016-60362-9.
- ——. 2018. Cognition as Embodied Morphological Computation. Philosophy and Theory of Artificial Intelligence 2017: 19-23. http://dx.doi.org/10.1007/978-3-319-96448-5
- ——. 2020. "Natural Morphological Computation as Foundation of Learning to Learn in Humans, Other Living Organisms, and Intelligent Machines." Philosophies. https://doi.org/10.3390/philosophies5030017.
- ——.2022 Natural Computation of Cognition, from single cells up Chapter 3 in: "Unconventional Computing, Arts, Philosophy" (World Scientific, 2022), WSPC Book Series in Unconventional Computing. pp. 57-78
   <a href="https://doi.org/10.1142/9789811257155\_0003">https://doi.org/10.1142/9789811257155\_0003</a>
- ——.2022 "Cognition as Morphological/Morphogenetic Embodied Computation In Vivo" Entropy 24, no. 11: 1576. https://doi.org/10.3390/e24111576

- Fields, Chris and Levin, Michael (2018) Multiscale memory and bioelectric error correction in the cytoplasm-cytoskeleton membrane system. WIRES Syst. Biol. Med. 10, e1410
- Fields, Chris Levin, Michael (2020) Integrating evolutionary and developmental thinking into a scale-free biology. BioEssays, 42, 1900228. [CrossRef] [PubMed]
- Fields, Chris and Levin, Michael (2020) Does evolution have a target morphology? Organisms, 4, 57–76.
- Froese, Tom and Ziemke, Tom (2009) Enactive artificial intelligence: Investigating the systemic organization of life and mind. Artif. Intell. 173, 466–50
- Jablonka, Eva and Lamb Marion J. (2014) Evolution in Four Dimensions: Genetic, Epigenetic, Behavioral, and Symbolic Variation in the History of Life. Revised Edition. Life and Mind: Philosophical Issues in Biology and Psychology. A Bradford Book. Cambridge: MIT Press.
- Kahneman, Daniel (2011) Thinking, Fast and Slow. Macmillan.
- Kampis, George (1991) Self-Modifying Systems in Biology and Cognitive Science: A New Framework for Dynamics,
   Information, and Complexity. Amsterdam: Pergamon Press.
- Kotseruba, Iuliia, and John K. Tsotsos (2020) "40 Years of Cognitive Architectures: Core Cognitive Abilities and Practical Applications." Artificial Intelligence Review. https://doi.org/10.1007/s10462-018-9646-y.
- Kull, K.; Deacon, T.; Emmeche, C.; Hoffmeyer, J.; Stjernfelt, F. (2011) Theses on biosemiotics: Prolegomena to a theoretical biology. In Towards a Semiotic Biology: Life Is the Action of Signs; Emmeche, C., Kull, K., Eds. Imperial College Press: London, UK, pp. 25–41.

- Levin, Michael, Fred Keijzer, Pamela Lyon, and Detlev Arendt (2021) "Uncovering Cognitive Similarities and Differences, Conservation and Innovation." Phil. Trans. R. Soc. B 376: 20200458.
- Levin, Michael (2019) "The Computational Boundary of a 'Self': Developmental Bioelectricity Drives Multicellularity and Scale-Free Cognition." Frontiers in Psychology 10: 2688.
- ——— (2020) "Life, Death, and Self: Fundamental Questions of Primitive Cognition Viewed through the Lens of Body Plasticity and Synthetic Organisms." Biochemical and Biophysical Research Communications.
- Levin, Michael and Martyniuk, Christopher J. (2018) Bioelectric Code: An ancient computational medium for dynamic control of growth and morphology. BioSystems, Volume 164, pp. 76-93.
- Lyon, Pamela (2005) "The Biogenic Approach to Cognition." Cognitive Processing 7: 11–29.
- ——— (2015) "The Cognitive Cell: Bacterial Behaviour Reconsidered." Frontiers in Microbiology 6: 264.
- Lyon, Pamela, Fred Keijzer, Detlev Arendt, and Michael Levin (2021) "Reframing Cognition: Getting down to Biological Basics." Phil. Trans. R. Soc. B 376: 20190750.
- Lyon, Pamela, and Franz Kuchling (2021) "Valuing What Happens: A Biogenic Approach to Valence and (Potentially) Affect." Phil. Trans. R. Soc. B 376: 2019075220190752.
- Manicka, Santosh, and Michael Levin (2019) "The Cognitive Lens: A Primer on Conceptual Tools for Analysing Information Processing in Developmental and Regenerative Morphogenesis." Philosophical Transactions of the Royal Society B 374 (1774).
- Marblestone, Adam H., Greg Wayne, and Konrad P. Kording (2016) "Toward an Integration of Deep Learning and Neuroscience." Frontiers in Computational Neuroscience. https://doi.org/10.3389/fncom.2016.00094

- Maturana, Humberto, and Francisco Varela (1992) The Tree of Knowledge. Shambala.
- Miller, William B., Torday, John S. (2018) Four domains: The fundamental unicell and Post-Darwinian Cognition-Based Evolution, Progress in Biophysics and Molecular Biology, Volume 140, pp. 49-73, ISSN 0079-6107, https://doi.org/10.1016/j.pbiomolbio.2018.04.006.
- Mitchell, Melanie, "Biological Computation" (2011). Ubiquity symposium: Biological Computation. Ubiquity 2011. February (2011): 3, pp. 1–7. DOI 10.1145/1940721.1944826. https://ubiquity.acm.org/article.cfm?id=1944826
- Müller Vincent C. & Hoffmann Matej (2017), 'What is morphological computation? On how the body contributes to cognition and control', Artificial Life 23 (1), 1-24
- Nature Editorial (2019) "How to Make Computing More Sustainable." Nature 573: 310.
- Pfeifer, Rolf, and Josh Bongard. 2006. How the Body Shapes the Way We Think A New View of Intelligence. MIT Press.
- Pfeifer, Rolf, and Gabriel Gomez. 2009. "Morphological Computation Connecting Brain, Body, and Environment." In Creating Brain-like Intelligence: From Basic Principles to Complex Intelligent Systems, edited by K. B. Sendhoff, O. Sporns, E. Körner, H. Ritter, & K. Doya, 66–83. Berlin: Springer.
- Pfeifer, Rolf, Fumia lida, and Gabriel Gomez. 2006. "Morphological Computation for Adaptive Behavior and Cognition." International Congress Series, no. 1291: 22–29.
- Pattee, Howard H. (1982) Cell Psychology: An Evolutionary Approach to the Symbol-Matter Problem. Cognition and Brain Theory, 5(4), 325-341
- Rozenberg, Grzegorz, and Lila Kari (2008) "The Many Facets of Natural Computing." Comm. ACM 51: 72–83.
- Russin, Jacob, Randall C. O'Reilly, and Yoshua Bengio (2020) "Deep Learning Needs a Prefrontal Cortex." Workshop "Bridging AI and Cognitive Science" (ICLR 2020).

- Santosh, Manicka, and Michael Levin (2019) "The Cognitive Lens: A Primer on Conceptual Tools for Analysing Information Processing in Developmental and Regenerative Morphogenesis." Philosophical Transactions of the Royal Society B 374 (1774).
- Scheutz M. (Ed.) (2002) Computationalism: New directions. Cambridge: Cambridge University Press.
- Stewart, John (1996) "Cognition = Life: Implications for Higher-Level Cognition." Behavioral Processes 35: 311-326.
- The Editors of IEEE Spectrum (2017) "Special Report: Can We Copy the Brain?" IEEE Spectrum. 2017. https://spectrum.ieee.org/static/special-report-can-we-copy-the-brain.
- Tjøstheim, Trond A., Andreas Stephens, Andrey Anikin, and Arthur Schwaninger (2020) "The Cognitive Philosophy of Communication." Philosophies. https://doi.org/10.3390/philosophies5040039.
- UBIQUITY SYMPOSIUM: BIOLOGICAL COMPUTATION https://ubiquity.acm.org/article.cfm?id=1944826
- Usman, Mohammed Joda, Abdul Samad Ismail, Gaddafi Abdul-Salaam, Hassan Chizari, Omprakash Kaiwartya, Abdulsalam Yau Gital, Muhammed Abdullahi, Ahmed Aliyu & S, and Alihu Idi Dishing. 2019. "Energy-Efficient Nature-Inspired Techniques in Cloud Computing Datacenters." Telecommun Syst 71: 275–302.
- von Haugwitz R. and Dodig-Crnkovic G. (2015) Probabilistic Computation and Emotion as Self-regulation ECSA 2015 ASDS Workshop. In Proceedings of the 2015 European Conference on Software Architecture Workshops (ECSAW '15). ACM, New York, NY, USA, DOI=10.1145/2797433.2797442
- Watanabe, Shigeru, Michel A Hofman, and Shimizu Toru, eds. 2017. Evolution of the Brain, Cognition, and Emotion in Vertebrates. Springer, Tokyo. ISBN 978-4-431-56559-8
- Wheeler, John Archibald (1989) "Information, Physics, Quantum: the Search for Links" at Reproduced from Proc. 3rd Int. Symp. Foundations of Quantum Mechanics, Tokyo, 1989, pp.354-368
  https://jawarchive.files.wordpress.com/2012/03/informationquantumphysics.pdf
- Yuste, Rafael and Levin, Michael (2021) New Clues about the Origins of Biological Intelligence. A common solution is emerging in two different fields: developmental biology and neuroscience. December 11, 2021, https://www.scientificamerican.com/article/new-clues-about-the-origins-of-biological-intelligence/

## Acknowledgment

This research is supported by Swedish Research Council grant MORCOM@COGS

http://www.gordana.se/work/presentations.html

http://www.gordana.se/work/publications.html